# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.

25th Annual Report



aQL696 .F32B35

United States Department of Agriculture Forest Service Eastern Region Milwaukee, WI



BALD EAGLE/OSPREY NESTING SUCCESS in the National Forests

of the Eastern Region

1987\_

5

5

:00



#### FORWARD

This 25th Annual Report on the status of the Eastern Region's Bald Eagles and Opsreys is a significant step in the long-term monitoring of population and success trends of these species on the National Forests. We are pleased to report that populations of both species continue to increase.

This survey is part of a continuing multi-agency effort to follow and better understand relationships between wildlife and habitat other environmental influences. These surveys are expected to continue not only to provide consistent trend information, but also to demonstrate this kind of that monitoring is We are confident that these practicable. efforts will improve communication, strengthen our information base and clarify options for integrating the management of eagle and osprey habitat with other, Forest uses.

Floyd J. Marita

Regional Forester, Eastern Region USDA Forest Service



#### BALD EAGLE-OSPREY NESTING SEASON REPORT

#### USDA-FOREST SERVICE - EASTERN REGION

1987

This is the 25th consecutive year that the National Forests of the Eastern Region have monitored the breeding activities of the bald eagle and the osprey. Aerial surveys to determine breeding activity at nest sites, called occupancy surveys, were conducted in April and May. Nests where breeding activity was observed, called productivity surveys, were visited again close to fledging time in July to count the number of young eagles and ospreys.

Survey methods for the years 1974 through 1984 were consistent from one year to the next. This provided monitoring information that was consistent between each of those 11 years. In 1985, the survey performance was interrupted when the Superior National Forest suspended most survey activities in the Boundary Waters Canoe Area Wilderness (BWCAW). During 1986 and 1987, the Superior NF conducted the occupancy survey for eagles in the BWCAW as before, but attempted the productivity survey by ground reconnaissance only. Not all occupied areas could be checked for productivity. Survey performance on the other six Forests that have populations of these birds remained uniform for the past 14 years.

Monitoring nests and finding new ones in the BWCAW continues to be a problem. It is time-consuming and labor intensive. The Superior plans to initiate a college course in conjunction with Northwoods Audubon in 1988 that would provide additional help in monitoring the nests within the wilderness. A reward system was also initiated by the Superior in 1986 to encourage individuals to report new nests. A bald eagle print and a letter of appreciation from the Forest Supervisor is given each person that reports a new eagle or osprey nest. Thirty new nests have been added to that Forest's inventory by the reward system.

#### BALD EAGLE

The number of nests examined on the National Forests has increased from 451 in 1986 to 516 in 1987. The number of breeding areas on the Forests' inventories has increased steadily from 166 in 1969 to 391 in 1987.

The productivity surveys in 1987 found 281 nests occupied by adult eagles. This is an increase of 37 eagle pairs over last year's total of 244 pairs. This year the Region is within 66% of its objective to have 427 breeding eagle pairs by the year 2020. The number of young produced was 315 this year which is an increase of 52 from last year's total of 263 young. The Ottawa NF was the only forest that reported a reduction in occupied nests. All of the other reporting forests showed an increase, with the Chippewa NF having the most significant increase.

The Chippewa NF reported 135 pairs of breeding adults. This is significant because that Forest's objective is to have 150 breeding pairs by the year 2020.

In some areas of the Chippewa Forest, the eagle breeding population may be approaching a "saturation" point. Eagle pairs for the first time have established nest sites in unusual areas, such as along roads and near dwellings. Several eagles also successfully utilized osprey nests. These unusual activities may be an indication that young breeding adults may be experiencing difficulty in finding optimum habitat for nesting.

Bald eagles are now being reported during the breeding season on other National Forests in the Eastern Region. The Mark Twain NF in Missouri reported a successful eagle nest near their boundary that produced at least one young and possibly a second. Two pairs continue to nest within the proclamation boundary of the Shawnee NF in Illinois. The two nests are located within the Crab Orchard National Wildlife Refuge in southern Illinois. One of the two nests produced two eaglets. A new nest was discovered on the Monogahela NF this year. An adult eagle was observed constructing this nest, however, there was no breeding attempt made. The Allegheny NF in Pennsylvania has had sightings of two adults accompanied by an immature bird on various occasions on the Allegheny Reservior during the nesting season.


The Indiana Department of Natural Resources hacked 20 young eagles on the Hoosier NF in 1987. The hacking project was initiated in 1985 as a cooperative effort between the Forest Service and the Indiana DNR. The hacking site is located on the Monroe Reservoir where three young eagles were released in 1985 and seven young in 1986.

#### OSPREY

The number of occupied osprey nests within the Region continues to increase each year since the survey was initiated in 1965. In 1987, 252 occupied nests were observed of which 157 nests were successful in producing 222 young.

The productivity surveys in 1987 found 252 nests occupied by breeding ospreys. This is an increase of 20 osprey breeding pairs from 1986's total of 232 pairs. The 222 young produced is an increase of 37 from last year's total.

Three Forests, the Chippewa, Hiawatha, and Superior, reported an increase in young produced this year. A slight decrease was noted on the Nicolet and Ottawa NFs. The Chequamegon NF had no osprey young produced in 1987 and the Huron-Manistee NFs continue not to have a known breeding population of ospreys.




1.0

# USDA-FOREST SERVICE, EASTERN REGION

YEAR	VERIFIED NESTS	BREEDING AREAS	OCCUF		SUCCE: NE:	SSFUL STS			YOUNG
			No.	%	No.	%	No.	Per Successful Nest	Per Occupied Nest
1964 1965 1966 1967 1968 1969 1970 1971 1972 1973 1974 1975 1976 1977 1978 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 1987	$\begin{array}{c} 156\\ 204\\ 265\\ 3023\\ 344\\ 297\\ 356\\ 3894\\ 421\\ 5381\\ 4352\\ 456\\ 458\\ 4553\\ 4551\\ 516\end{array}$	166 189 188 238 264 257 285 260 265 264 269 282 277 288 296 294 314 321 366	64 113 110 119 129 124 128 167 171 170 176 178 197 192 188 192 202 202 202 202 202 218 209* 244 281	50 57 53 78 66 75 66 62 73 76 75 74 76 77 76 77 77 77 77 77 77 77 77 77	$\begin{array}{c} 36\\ 62\\ 46\\ 42\\ 66\\ 72\\ 64\\ 77\\ 97\\ 99\\ 89\\ 117\\ 126\\ 138\\ 127\\ 136\\ 140\\ 136\\ 148\\ 140\\ 136\\ 148\\ 140\\ 136\\ 188\\ \end{array}$	56 50 55 55 55 55 55 55 55 71 06 01 97 74 58 66 66 67	51 88 67 63 98 109 107 115 155 163 119 192 187 212 202 222 235 223 220 257 231 216* 263 315	1.4 1.7 1.5 1.9 1.5 1.7 1.6 1.6 1.6 1.55 1.6 1.7 1.6 1.7 1.6 1.7 1.7 1.6 1.7 1.7 1.6 1.7 1.7 1.7 1.7 1.6 1.7 1.7 1.7 1.7 1.7 1.6 1.7 1.7 1.7 1.7 1.6 1.7	.80 .78 .59 .57 .82 .85 .83 .93 .95 .70 1.09 1.05 1.08 1.22 1.10 1.09 1.16 1.03 1.08 1.12

 $\ensuremath{^*}$  Eagle nests in the BWCA were not surveyed for success.



Year <u>1987</u>

Forest and STATE	VERIFIED 1986	NESTS 1987	AREAS OBSERVED	OCCUPIED NESTS	SUCCESSFUL NESTS	YOUNG PRODUCED
Hiawatha	9	11	10	9	6	6
Huron-Maniste	e 17	18	14	11	7	15
Ottawa	65	71 °	46	33	15	28
MICHIGAN	91	100	70	53	28	49
Chippewa	209	237	158	135	89	<b>1</b> 51
Superior	84	105	75	50	38	59
MINNESOTA	293	342	233	185	127	210
Chequamegon	37	42	33	22	15	23
Nicolet	30	32	29	21	18	33
WISCONSIN	67	74	62	43	33	56
REGION TOTALS	6 451	516	365	281	188	315

# BALD EAGLE NESTING STATUS USDA-FOREST SERVICE, EASTERN REGION

#### OSPREY NESTING TRENDS

# USDA-FOREST SERVICE, EASTERN REGION

YEAR	VERIFIED NESTS	TERRITORIES OBSERVED	OCCUI	PIED STS	SUCCE NE	SSFUL STS		YOUNG	
								Per	Per
								Successful	Occupied
			No.	%	No.	%	No.	Nest	Nest
1965	79		37	59	10	27	11	1.1	. 30
1966	94		28	45		•	5	1.3	-
1967	137		43	61	12	28	23	1.9	.53
1968	152		73		21	29	27	1.3	. 37
1969	183		72		28	39	55	2.0	.76
1970	157	93	84	90	42	50	74	1.8	. 88
1971	140		66		34	52	55	1.6	.83
1972	205	130	111	85	59	53	97	1.6	.87
1973	226	154	127	82	21	38@	36	1.7	.65@
1974	252	140	140	100	73	52	118	1.6	. 84
1975	238	157	115	73	59	51	102	1.7	•97
1976	249	154	117	76	70	60	120	1.7	1.03
1977	254	197	159	81	89	56	147	1.7	.92
1978	316	193	144	75	63	44	84	1.3	.58
1979	303	304 308	194 224	64	104	54	176	1.7	.91
1980 1981	305 307	314	224	73 70	136 112	61 51	262 192	1.9 1,7	$1.17 \\ .87$
1982	320	294	217	70 70	141	65	229	1.6	1.06
1983	357	321	208	65	126	61	207	1.6	1.00
1984	343	327	248	76	125	50	2.22	1.8	.90
1985	309*	355*	228*	64	107*	47	181*	1.7	.79
1986	327*	577	232*	0,	118*	51	185*	1.6	.80
1987	384		252*	64	157*	62	222*	1.4	.88

@ Chippewa NF incomplete data excluded from calculations. \* Osprey nesting surveys were not made in the BWCA

Year <u>1987</u>

Forest and STATE	VERIFIED 1986	NESTS 1987	AREAS OBSERVED	OCCUPIED NESTS	SUCCESSFUL NESTS	YOUNG PRODUCED
Ottawa	13	19	20	10	5	5
Hiawatha	30	32	34	30	20	40
Huron-Maniste	e O	0	0	0	0	0
MICHIGAN	43	51	54	40	25	45
Chippewa	171	212	212	138	87	116
Superior	73	89	98	55	33	47
MINNESOTA	244	301	310	193	120	. 163
Chequamegon	4	1	1	1	0	0
Nicolet	36	31	26	18	12	14
WISCONSIN	40	32	27	19	12	14
REGION TOTAL	327	384	391	252	157	222

OSPREY NESTING STATUS USDA-FOREST SERVICE, EASTERN REGION BALD EAGLE AND OSPREY NESTING TRENDS BY NATIONAL FOREST

Ì

# CHEQUAMEGON NATIONAL FOREST

YEAR	TOTAL VERIFIED BREEDIN NESTS AREAS	BREEDING	OCCUPIED NESTS		SUCCESSFUL NESTS			YOUNG	
			No.	%	No.	%	No.	Per Successful Nest	Per Occupied Nest
1963 1964 1965 1966 1967 1968 1970 1971 1972 1973 1974 1975 1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1987	3 4 7 6 15 12 16 15 14 16 15 14 16 17 21 22 19 29 29 33 29 29 33 23 34 37 42	7 10 9 10 12 13 15 15 16 17 19 21 21 23 21 22 25 28 33	$\begin{array}{c}1\\3\\1\\2\\7\\6\\8\\9\\10\\11\\10\\12\\13\\16\\17\\19\\17\\15\\16\\17\\21\\22\end{array}$	90 74 71 73 68 75 67	0 0 4 6 3 7 9 6 4 7 10 11 8 13 11 13 10 9 4 11 13 15	57 100 38 78 90 540 87 73 62 81 568 560 865 62 68	$\begin{array}{c} 6\\ 10\\ 4\\ 10\\ 13\\ 8\\ 6\\ 11\\ 16\\ 17\\ 11\\ 20\\ 19\\ 17\\ 14\\ 22\\ 16\\ 19\\ 23\\ \end{array}$	1.57 1.71.3 1.44356654682766555 1.682766555 1.6821.766555 1.551.5	.9 1.7 .6 1.1 1.3 .7 .6 .9 1.2 1.1 .9 1.2 1.0 1.0 1.0 1.4 .9 1.4 .9 1.0

# CHEQUAMEGON NATIONAL FOREST

YEAR	VERIFIED NESTS	TERRITORIES OBSERVED	OCCUP NES			ESSFUL ESTS		YOUNG	
								Per	Per
								Successful	Occupied
			No.	%	No.	%	No.	Nest	Nest
1964									
1965	1	1	1						
1966	1	1	1						
1967	2	2	2		NOT	CHECKED			
1968	1	0	6		1101	OHLOKLD			
1969	1	1	1		1		1		
1970	1	1	1		1		1		
1971	1	1	1		?		?		
1972	1	1	1		0		°. O		
1973	-	-	1		NOT	CHECKED	Ŭ		
1974	4	4	3		0		0		
1975	3		2		1		1		
1976	3	3	1		0		0		
1977	4	3 3 4	1		1		3		
1978	2		0		0		õ		
1979	4	3 4			2		4		
1980			2 3 4				6		
1981	3 4	5 4	ŭ		3 3		6		
1982	4	4	4		1		3		
1983	5	5	2		0		ō		
1984	4	4	4		1		2		
1985	4	4	2		2		4		
1986	4	4	3		1		2		
1987	1	1	1		0		0		

#### CHIPPEWA NATIONAL FOREST

YEAR	VERIFIED NESTS	BREEDING AREAS	OCCUF NES		SUCCE	SSFUL		YOUNG	
								Per	Per
								Successful	Occupied
			No.	%	No.	%	No.	Nest	Nest
1963 1964 1965 1966 1967 1968 1969 1970 1971 1972 1973 1974 1975 1976 1977 1978 1979 1980 1981 1982 1983 1984	48 55 76 107 135 142 139 141 143 142 147 156 163 176 194 200 201 209 199 193 214 203	71 75 93 99 107 108 106 94 94 105 107 106 112 112 116 120 118	No. 20 30 39 52 49 52 60 65 65 73 70 68 70 68 70 68 70 67 77 80 77 80 78 77 84 90 101 92	<i>%</i> 75 74 69 75 78 84 78	No. 6 12 22 19 21 33 29 35 40 40 42 40 42 40 47 48 57 56 53 62 60 66 69 64	20 30 40 56 43 62 56 56 57 74 70 81 73 88 70 70 81 73 870	No. 10 14 29 28 30 50 44 62 61 70 72 54 79 78 86 92 95 112 103 108 131 110		-
1985	201	127	100	79	73	73	118	1.6	1.18
1986	209	136	112	82	85	76	136	1.6	1.21
1987	237	158	135	85	89	66	151	1.7	1.12

### CHIPPEWA NATIONAL FOREST

YEAR	VERIFIED TERRITORIES NESTS OBSERVED				SUCCESSFUL NESTS		YOUNG		
			No.	%	No	• %	No.	Per Successful Nest	Per Occupied Nest
1964 1965 1966 1967 1968 1969 1970 1971 1972 1973 1974 1975 1976 1977 1978 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 1987	18     23     31     60     73     89     99     90     104     124     139     131     138     146     214     201     188     161     157     176     164     175     171     212	52 49 59 72 83 56 50 87 96 201 188 161 145 161 145 161 145	5 17 40 49 52 49 52 49 52 67 50 87 78 122 142 118 125 129 124 138	80 81 61 76 73 77 58 78 69  65	7 13 23 28 22 34 NOT 35 29 24 37 19 59 24 37 19 59 87 63 73 49 53 58 51 87	54 CHECKED 52 52 48 42 24 48 61 53 66 53 42 45 41 63	14 19 50 48 39 60 59 46 43 66 30 97 175 102 111 83 94 94 82 116	1.8 1.6 1.6 2.0 1.6 1.5 1.7 1.8 1.6 1.6 1.3	.76 .38 .80 1.23 .86 1.00 .89 .75 .73 .66 .84

#### HIAWATHA NATIONAL FOREST

YEAR	VERIFIED NESTS	BREEDING AREAS	OCCUP NES		SUCCESSFUL NESTS			YOUNG	
								Per	Per
								Successful	
			No.	%	No.	%	No.	Nest	Nest
1964	21								
1965	23		17	74	6	35	7	1.2	
1966	34		7	27	2	29	4	2.0	
1967	35	17	11		2	18	3 4		
1968	39		1		4	57	4		
1969	45	20	10		1		2		
1970	39	24	9		2 2	44	4		
1971	40	14	6		2	33	3 0		
1972	36	22 24	5 7		0 2		0		
1973 1974	37 29	24	6		ے۔ 1		3 1		
1975	25	26	8		2		2		
1976	19	23	7		1 2 1 2 1		2 1		
1977	16	16	6		2		3 1		
1978	14	11	4						
1979	19	14	2		0		0		
1980	17	14	4		3	75	4	1.3	
1981	12	9 9	4	- (	2	50	4	2.0	
1982	13	9	5	56	3	60	4	1.3	22
1983 1984	12 11	9	6 5	67 56	3 2 3 2 2	33 40	2 4	1.0	•33
		9	56					2.0	.80
1986		8			ר א		5		.90
	11				ő	67	6		.67
1985 1986 1987	11 9 11	9 9 8 8 10	6 6 9	75 75 90	3 3 6	50 50 67	3 5 6	1.0 1.7 1.0	.50 .83 .67

# HIAWATHA NATIONAL FOREST

YEAR	VERIFIED T NESTS	TERRITORIES OBSERVED	OCCUP NES			SSFUL STS			YOUNG
			No.	%	No.	%	No.	Per Successful Nest	Per Occupied Nest
1964 1965 1966 1967 1968 1969 1970 1971 1972 1973 1974 1975 1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 1987	13 11 12 18 20 24 26 NO SURVEY 24 19 16 17 26 23 20 23 24 22 22 26 25 26 30 32	14 14 16 15 15 15 13 23 21 18 21 20 21 24 24 24 25 26 33 34	3 9 8 9 10 11 11 10 12 15 16 16 16 16 16 16 19 22 20 26 29 30	80 88 88	$ \begin{array}{c} 1\\1\\3\\5\\2\\3\\6\\7\\6\\1\\9\\8\\14\\10\\6\\9\\10\\12\\12\\20\\20\\20\end{array} $	60 60 50 63 55 56 53 55 60 69 67	2 2 5 5 2 7 8 13 16 13 14 10 18 21 25 39 32 40	2.1 1.7 2.0 2.1 2.2 2.1 1.9 1.6 2.0	1.31 .91 1.13 1.12 1.18 1.25 1.50 1.10 1.33

#### NICOLET NATIONAL FOREST

YEAR	VERIFIED NESTS	BREEDING AREAS	OCCUF NES			ESSFUL ESTS		YOUNG	
								Per	Per
								Successful	Occupied
			No.	%	No.	%	No.	Nest	Nest
1963	5								
1965	11								
1965	10		4		1		2		
1966	13				-		6mo)		٥
1967	15		9 9						
1968	18		11		4	36	7	1.8	
1969	17	12	9		6	67	12	2.0	
1970	19	11	7		7	100	14	2.0	
1971	NO SURVEY								
1972	19	16	9		5 8	56	6	1.2	.7
1973	27	18	14			57	13	1.6	.9
1974	32	22	19		12	63	18	1.5	•9
1975	30	21	16		11	69	17	1.5	1.2
1976	30	20	18		10	56	16	1.6	۰9
1977	32	22	18		12	67	19	1.6	1.1
1978	39	24	22		12	55	20	1.7	.9
1979	37	24	17		16	94	23	1.4	1.4
1980 1981	40 44	24 24	20 18		10 14	50 78	20	2.0 1.6	1.0
1982	44	24	17		14	70 71	23 22	1.8	1.3
1983	38	25	17	68	12	71 71	22	1.8	1.3 1.3
1984	44	25	16	70	11	69	17	1.5	1.1
1985	41	26	15	58	12	80	21	1.8	1.4
1986	30	26	16	62	11	69	22	2.0	1.38
1987	32	29	21	72	18	86	33	1.8	1.57

# NICOLET NATIONAL FOREST

YEAR	VERIFIED ' NESTS			PIED STS	SUCCE	SSFUL STS		YOUNG	
								Per	Per
								Successful	Occupied
			No.	%	No.	%	No.	Nest	Nest
1964	10								
1965	10		7		4		3		
1966	10		7		т		J		
1967	16		9						
1968	16		11						
1969	26	17	6		1		1		
1970	19	14	15		8		15		
1971	NO SURVEY						2		
1972	30	25	17		4		6		
1973	31	29	19		7		12		
1974	37	37	25		10	40	15		
1975	36	35	15		12	80	26		
1976	32	32	20		11	55	22	2.0	1.10
1977	27	35	19		13	68	22	1.7	1.16
1978	29	30	20		7	35	11	1.6	- 55
1979	24	30	20		11	50	21	1.9	1.05
1980	26	27	22		8	36	14	1.8	. 64
1981	32	26	20		6	30	11	1.8	• 55
1982	31	26	21		15	71	26	1.7	1.24
1983	33	28	20	- 1	12	60	18	1.5	.90
1984 1985	28 28	26 28	14	54 69	8	57	18	2.3	1.29
1986	20 36	20 28	19 10	68 68	7	37 68	10	1.4	.53
1987	30 31	26	19 18	69	13 12	60 67	20 14	1.5	1.05
1701	JT	20	TO	07	TC.	07	14	1.1	•77

#### OTTAWA NATIONAL FOREST

VERIFIED	BREEDING					VOIDIO		
NESTS	AREAS	NES	STS	NE	515			D
								Per
		Na	•/	Na		N.		•
		NO.	/•	NO.	/•	NO.	Nest	Nest
26								
		20	80	13	65	18	1.4	.9
		21					1.4	1.0
	31	22	47	12		19	1.6	۰9
46		22		11	50	16	1.5	•7
53	36	24		15	62	20	1.3	.8
54				13	50	20	1.5	.8
								.7
				-				۰9
								1.1
								•7
								1.2
								1.3
								1.2
								1.1
								1.2 1.1
			73					1.2
								.9
							•	•79
								.76
								.86
								.68
71	46	33	72	15	45	28	1.9	.85
	NESTS 26 32 43 47 46 53 54 61 60 66 60 67 76 76 76 76 76 76 71 72 78 73 74 75 67 65	NESTS         AREAS           26         32           43         47           47         31           46         32           53         36           54         36           61         42           60         45           66         41           60         35           67         41           76         42           76         43           71         43           72         44           78         45           73         46           74         46           75         46           67         45           65         42	NESTS         AREAS         NES           26	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	NESTS         AREAS         NESTS         NE $26$ $32$ $20$ $80$ $13$ $43$ $21$ $53$ $15$ $47$ $31$ $22$ $47$ $12$ $46$ $32$ $22$ $11$ $53$ $36$ $24$ $15$ $54$ $36$ $26$ $13$ $41$ $53$ $36$ $24$ $15$ $54$ $36$ $26$ $13$ $61$ $42$ $30$ $14$ $60$ $45$ $30$ $19$ $66$ $41$ $33$ $25$ $60$ $35$ $27$ $11$ $67$ $41$ $33$ $21$ $76$ $442$ $31$ $21$ $76$ $442$ $31$ $21$ $76$ $442$ $31$ $21$ $73$ $46$ $31$ $67$ $16$ $71$ $43$ $31$ $21$ $73$ $46$ $31$ <	NESTSAREASNESTSNESTSNo. $%$ No. $%$ 262080136543215315714731224712554632221150533624156254362613506142301447604530196166413325766035271141674133216476423122717643312168714330237772443021707845327324754629631575462963156542389016	NESTS         AREAS         NESTS         NESTS         Nests $No.$ $%$ $No.$ $%$ $No.$ $%$ $No.$ $26$ $32$ $20$ $80$ $13$ $65$ $18$ $43$ $21$ $53$ $15$ $71$ $21$ $47$ $31$ $22$ $47$ $12$ $55$ $19$ $46$ $32$ $22$ $11$ $50$ $16$ $53$ $36$ $24$ $15$ $62$ $20$ $54$ $36$ $26$ $13$ $50$ $20$ $61$ $42$ $30$ $14$ $47$ $22$ $60$ $45$ $30$ $19$ $61$ $30$ $66$ $41$ $33$ $25$ $76$ $37$ $60$ $35$ $27$ $11$ $41$ $18$ $67$ $41$ $33$ $21$ $64$ $39$ $76$	$\begin{array}{c c c c c c c c c c c c c c c c c c c $

# OTTAWA NATIONAL FOREST

YEAR	VERIFIED NESTS	TERRITORIES OBSERVED	5 OCCUPIED NESTS					YOUNG		
								Per	Per	
								Successful	Occupied	
			No.	%	No.	%	No.	Nest	Nest	
1964	6									
1965	6									
1966	5 8		3 6		1		1			
1967	8	9 8			1		2			
1968	9 8	8	7		2		2			
1969		7	0							
1970	12	10	6 8		3		7			
1971	10	11	8 8		5 3 1		8			
1972	10	8	8		3		7 2			
1973 1974	13 14	10 11	9 8		4	50	28	2.0	1.00	
1974	14	10	10		5	50	13	2.6	1.30	
1976	12	12	10		5	50	7	1.4	.70	
1977	15	14	13		5 8	62	12	1.5	.92	
1978	16	14	11		7	64	9	1.3	1.82	
1979	13	14	9		6	66	9	1.5	1.00	
1980	14	13	10		8	80	15	1.9	1.50	
1981	17	14	11		4	36	8	2.0	.73	
1982	17	13	9		5	56	10	2.0	1.11	
1983	17	13	9		2	22	5	2.5	.56	
1984	13	12	11	92	4	36	5	1.3	.45	
1985	13	13	9	69	2	22	5	2.5	.56	
1986 1987	13	16 20	9 10	56	6	67	9	1.5	1.00	
1907	19	20	10	50	5	50	5	1.0	.50	

# SUPERIOR NATIONAL FOREST

YEAR	VERIFIED NESTS			IED TS		SUCCESSFUL NESTS		YOUNG		
			No.	%	No.	•/	No.	Per Successful Nest	-	
1963 1964 1965 1966 1967 1968 1969 1970 1971 1972 1973 1974 1975 1976 1977 1978 1979 1980 1981 1982	8 32 36 37 36 53 NO SURVEY 49 65 67 66 75 73 65 70 68 74 76 68	10 30 48 47 75 52 52 50 51 57 53 57	No. 20 12 5 9 12 10 26 26 30 26 32 39 34 36 34 34 34 30	<b>%</b> 64 53	No. 14 5 4 6 11 10 20 19 11 23 26 29 26 23 24 23 24 23 24	67 73 63 89 81 74 76 64 71 68 80	No. 24 6 7 9 16 14 29 24 17 35 29 43 38 40 39 32 36	Nest 1.7 1.2 1.4 1.5 1.3 1.5 1.1 1.5 1.7 1.6 1.4 1.5	Nest .9 .9 1.4 .9 1.1 1.1 1.1 1.1 1.2 .9 1.2	
1983 1984 1985 1986 1987	73 82 84 84 105	61 64 70 68 75	40 50 24* 42 50	66 78 67 67	32 29 11* 31 38	80 58 46 74 76	50 47 18* 46 59	1.6 1.6 1.5 1.6	1.25 .9 .75 1.10 1.18	

\* BWCA Success not surveyed.

# SUPERIOR NATIONAL FOREST

YEAR	R VERIFIED TERRITORIES NESTS OBSERVED		OCCUF NES			SSFUL STS			YOUNG
			No.	*	No.	0/ /0	No.	Per Successful Nest	Per Occupied Nest
1964 1965 1966 1967 1968 1969 1970 1971 1972 1973 1974 1975 1976 1977 1978 1979 1980 1981 1982 1983	7 28 31 33 35 NO SURVEY 39 36 38 42 40 38 39 35 38 39 35 38 50 71 89 100	8 22 27 49 40 34 36 32 34 55 60 82 90	No. 21 8 1 6 7 8 15 15 27 19 21 23 21 25 36 51 53 62	× 6467455569	No. 5 2 1 1 1 1 7 12 6 18 11 21 18 16 16 16 30 32 37 51	% 80 40 67 58 100 78 76 64 83 63 70 82	No. 6 2 1 1 1 8 16 9 23 15 32 24 20 24 52 47 58 75	Nest 1.5 1.3 1.3 1.5 1.7 1.5 1.6 1.5	Nest Nest 1.04 .95 .96 1.44 .92 .92 1.09 1.21
1984 1985 1986 1987	109 63* 73* 89*	100 97* 71* 98*	74 43* 48* 55*	74 68 56	47 18* 27* 33*	64 42 56 60	78 29* 40* 47*	1.7 1.6 1.5 1.4	1.05 .67 .83 .85

\* BWCA not surveyed

# HURON-MANISTEE NATIONAL FOREST

YEAR VERIFIEI NESTS		TOTAL VERIFIED BREEDING NESTS AREAS		IED TS	SUCCESSFUL NESTS			YOUNG		
			No.	%	No.	%	No.	Per Successful Nest	Per Occupied Nest	
1963 1964 1965 1966 1967 1968 1970 1971 1972 1973 1974 1975 1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1987	32 27 28 29 27 25 25 19 20 22 21 19 16 17 13 15 20 22 16 15 15 17 18	16 15 15 12 13 14 13 12 12 12 12 12 12 10 13 14 14 12 13 13 14	$10 \\ 11 \\ 16 \\ 11 \\ 8 \\ 9 \\ 8 \\ 9 \\ 10 \\ 10 \\ 11 \\ 11 \\ 11 \\ 8 \\ 9 \\ 10 \\ 11 \\ 12 \\ 10 \\ 10 \\ 9 \\ 11 \\ 11 \\ 12 \\ 10 \\ 10 \\ 9 \\ 11 \\ 11 \\ 10 \\ 10 \\ 9 \\ 11 \\ 11$	86 71 83 77 69 79	. 6534444546653454575567	196 04 54 54 555 34 562 00 74 96 04 04 00 555 58 40 62 00 07 4	88465457669087685629895	$\begin{array}{c} 1.3\\ 1.6\\ 1.3\\ 1.5\\ 1.3\\ 1.2\\ 1.3\\ 1.8\\ 1.2\\ 1.5\\ 1.6\\ 1.3\\ 1.6\\ 1.6\\ 1.6\\ 1.5\\ 2.1\end{array}$	.8 .7 .3 .6 .5 .8 .6 .8 .9 .7 .9 .7 .5 .5 .2 .9 .8 .0 1.3	



